



HP Sales Central

HP OfficeJet 7110 Wide Format ePrinter - H812a (CR768A)

Discontinued as of 12/8/2016

Overview



Widen your printing possibilities with an affordable, reliable HP ePrinter that produces professional-quality marketing materials in sizes from 3x5 to 13x19 inches. Count on time-saving convenience with wireless printing¹ and easy networking.

List Price

\$242.00

Get noticed with affordable, wide-format printing

Print professional color in a wide range of sizes—from 3x5 to 13x19 inches—for an outstanding value.

Create borderless flyers, brochures, marketing materials, and more in-house—for less than a print shop.³

Count on Original HP inks to deliver fast-drying, water-resistant documents⁶ that stay vivid for decades⁴.

Rely on time-saving features to ease office tasks

Reload less often and handle high-volume printing, using high-capacity ink cartridges and large paper trays.

Preserve your space with a compact ePrinter designed to fit where you want it—close at hand or out of the way.

Depend on HP for reliable productivity. This HP ePrinter was designed for volumes up to 800 pages per month.

Connect and print—at the office or on the go²

Print wirelessly on your office network and share this HP ePrinter with other wireless-enabled PCs.¹

Print from your smartphone or tablet from virtually anywhere with HP ePrint.²

Add this HP ePrinter to your Ethernet network to easily share with your workgroup.

Reduce your impact without sacrificing performance

Save energy without sacrificing performance. This printer is ENERGY STAR[®] qualified and rated EPEAT[®] Bronze.

Save up to 50% on paper costs, using optional automatic two-sided printing.⁷

Reduce your impact—easily recycle your Original HP ink cartridges for free through HP Planet Partners.⁵



On-the-go printing with HP ePrint

Print photos, documents, and more when you're on the go, using HP ePrint.⁸



Unleash your printing

Print wirelessly from your mobile device without a Wi-Fi code or password.⁹



4 individual inks

Individual Inks - Replace only the individual ink cartridge that runs out



Borderless printing

Borderless photos are printed right to the edge of the paper. You get beautiful photo prints with no trimming!



Ethernet (printer)

Add this device to your office Ethernet network to share with your workgroup.

Replaces

Status	Product Name	Discontinued	SKU
Discontinued	HP Officejet 7000 Wide Format Printer - E809a	05/01/2013	C9299A

Specifications

Print speed black (ISO)

Up to 15 ppm

Print speed color (ISO)

Up to 8 ppm

Print speed black (draft, letter)

Up to 33 ppm

Print speed color (draft, letter)

Up to 26 ppm

Duty cycle (monthly, letter)

Up to 12,000 pages

Recommended monthly page volume

200 to 800 pages⁴

(HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.)

Number of users

1-3 Users

Print technology

HP Thermal Inkjet

Print quality black (best)

Up to 600 x 1200 dpi

Print quality color (best)

Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)

Processor speed

500 MHz

Print languages

HP PCL 3 GUI, HP PCL 3 Enhanced

Display

None

Print colors

Yes

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Automatic paper sensor

No

Mac compatible

Yes

HP ePrint capability

Yes

Mobile printing capability

HP ePrint; Apple AirPrint™³

Wireless capability

Yes, built-in Ethernet, Wi-Fi 802.11b/g/n

Connectivity, standard

1 USB 2.0; 1 Ethernet; 1 Wireless 802.11b/g/n

Network ready

Standard (built-in Ethernet, WiFi 802.11b/g/n)

Minimum System Requirements

Windows 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD-ROM/DVD or Internet, USB. Windows Vista: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD-ROM/DVD or Internet, USB. Windows XP SP3 (32-bit only): Intel Pentium II, Celeron or 233 MHz compatible processor, 750 MB HD, Microsoft Internet Explorer 6, CD-ROM/DVD or Internet, USB. Mac OS X v10.6, OS X Lion, OS X Mountain Lion OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra; 1GB HD, CD-ROM/DVD-ROM or Internet, USB. Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Minimum System Requirements for Macintosh

OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra, OS v10.15 Catalina; 1GB HD, CD-ROM/DVD-ROM or Internet, USB

Compatible Operating Systems

Windows 10 (32bit & 64-bit), Windows 8.1 (32bit & 64-bit), Windows 8 (32bit & 64-bit), Windows 7 (32bit & 64-bit), Windows Vista (32bit & 64-bit), Windows XP (32bit) SP3 or greater, Mac OS X v10.6, OS X Lion, OS X Mountain Lion, Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

(Not supporting: Windows 2000 (SP4), Windows XP Professional x64 (SP1))

Compatible Network Operating Systems

Windows 8 (32bit & 64-bit), Windows 7 (32bit & 64-bit), Windows Vista (32bit & 64-bit), Windows XP (32bit) SP3 or greater, Windows 2003 Server (Standard Edition, Enterprise Edition) (32bit & 64-bit), Windows 2003 Server R2 (Standard Edition, Enterprise Edition) (32bit & 64-bit), Windows Small Business Server 2003 (32bit & 64-bit), Windows 2008 Server (Standard Edition, Enterprise Edition) (32bit & 64-bit), Windows Small Business Server 2008 (64-bit), Windows 2008 Server R2 (Standard Edition, Enterprise Edition) (64-bit), Windows Small Business Server 2011, Windows Server 2012, Mac OS X v10.6, OS X Lion, OS X Mountain Lion, Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Memory

16 MB (ROM); 128 MB (DDR RAM)

Maximum Memory

16 MB (ROM); 128 MB (DDR RAM)

Paper handling input, standard

250-sheet input tray

Input capacity

Up to 250 sheets

Maximum input capacity (sheets)

Up to 250 sheets

Paper handling output, standard

75-sheet output tray

Output capacity

Up to 75 sheets

Maximum output capacity (sheets)

Up to 75 sheets

Finished output handling

Sheet feed

Duplex printing

Automatic (optional)

Paper trays, standard

1

Paper trays, maximum

1

Envelope Feeder

Yes, 30

Maximum Input Capacity (envelopes)

Up to 30 envelopes

Media sizes supported

A4, Letter, B5, Tabloid, A3

Media sizes, custom

Tray 1: 3 x 5 to 13 x 19 in (custom media supported on Mac only)

Media types

Paper (brochure, inkjet, plain), photo, envelopes, cards (index)

Media weight, recommended

16 to 28 lb, Bond

Media weight, supported

9 to 66 lb, Bond

Borderless printing

Yes (up to 13 x 19 in, 330 x 483 mm)

Power

Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)

Power supply type

External

Power consumption

30.3 watts maximum, 25.4 (Active), 0.31 watts (Manual-Off), 1.92 watts (Standby), 1.04 watts (Sleep)²

(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)

Energy efficiency

EPEAT® Bronze; CECP

Energy star certified

No

Operating temperature range

41 to 104°F

Recommended operating humidity range

25 to 75% RH non-condensing

Minimum dimensions (W x D x H)

23.0 x 14.5 x 7.5 in (trays closed)

Maximum dimensions (W x D x H)

23.0 x 27.9 x 7.5 in (trays extended full length)

Weight

18.7 lb

UPC number

(401) 889899663202; (407) 889899663196; (417) 889899663189; (A81) 887111438096; (AB0) 887111000538; (AB1) 887111000545; (AB2) 887111000552; (ABG) 887111000569; (ABJ) 887111000606; (ABT) 887111595362; (AC4) 887111000644; (AC8) 887111000651; (ACJ) 887111000576; (AK3) 887111000613; (AKH) 887111000637; (AKY) 887111000620; (B1H) 887111000439; (BEG) 887111000583; (BGM) 887111119926

Package dimensions (W x D x H)

27.0 x 19.7 x 10.6 in

Package weight

27.9 lb

Quantity per pallet

27

Pallet dimensions

48 x 40 x 100 in

Pallet weight

790 lb

Country of origin

Made in China

What's in the box

HP Officejet 7110 ePrinter

Print Head Assembly

HP 932 Black Officejet Ink Cartridge (~ 400 pages)

HP 933 Cyan Officejet Ink Cartridge & HP 933 Magenta Officejet Ink Cartridge & HP 933 Yellow Officejet Ink Cartridge: composite yield (~330 pages)

shopping card

power cord

CD-ROM

Setup poster, Getting started guide. [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see

hp.com/go/learnaboutsupplies]

Cable included

No, please purchase USB cable separately

Replacement cartridges

HP 932 Black Officejet Ink Cartridge (~400 pages); HP 932XL Black Officejet Ink Cartridge (~1000 pages); HP 933 Cyan Officejet Ink Cartridge (~330 pages); HP 933 Magenta Officejet Ink Cartridge (~330 pages); HP 933 Yellow Officejet Inkjet Cartridge (~330 pages); HP 933 Cyan Officejet Ink Cartridge (~330 pages); HP 933XL Magenta Officejet Ink Cartridge (~825 pages); HP 933XL Yellow Officejet Inkjet Cartridge (~825 pages); [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies]

Software included

HP Printer Software

Bing Bar for HP (includes HP Smart Print)

HP Officejet 7110 series Help

Product Improvement Study for HP Officejet 7110 series

HP Update

Shop for Supplies Online

HP Photo Creations

Warranty

One-year limited hardware warranty, 24-hour, 7 days a week Web support, business hour phone support within warranty period

Overview

- 1 Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz routers only.
- 2 Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents, and image types, and other HP ePrint details, see hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary.
- 3 Based on marketing materials printed on HP Color LaserJet CP2020/CM2320 series and HP Officejet Pro family products compared with average retail copy shop pricing for print runs up to 2500 pages. Actual results may vary. Source: InfoTrends Cost of Print Studies, June 2011. Visit hp.com/go/printcosts for more details.
- 4 Fade resistance based on paper industry predictions for acid-free papers and Original HP inks; colorant stability data at room temperature based on similar systems tested per ISO 11798 and ISO 18909.
- 5 Program availability varies. Original HP cartridge return and recycling is currently available in 47 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit hp.com/recycle.
- 6 Water resistance based on HP internal testing, using paper with the ColorLok® logo.
- 7 Automatic two-sided printing capability not included; please purchase separately.
- 8 Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at hp.com/go/mobileprinting.
- 9 Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

Specifications

- 2 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 3 HP ePrint requires an Internet connection to the printer and an Account Registration with HP Web Services. Print times may vary. For a list of supported documents and image types for HP ePrint, see hp.com/go/eprintcenter. AirPrint™ and the AirPrint Logo are trademarks of Apple® Inc., registered in the U.S. and other countries. AirPrint requires the printer be connected to the same network as your Apple device. Wireless performance is dependent upon physical environment and distance from the access point. For additional solutions, see hp.com/go/mobile-printing-solutions.
- 4 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Detailed Specifications

Accessories

HP Inkjet Automatic Two-sided Printing Unit C7G18A

Acoustic power emissions (active, printing)

6.5 B(A) (Draft printing, mono); 6.1 B(A) (Normal printing, mono); 6.5 B(A) (Draft printing, color); 6.2 B(A) (Normal printing, color)

Acoustic pressure emissions

51 dB(A) (Draft printing, mono); 47 dB(A) (Normal printing, mono); 50 dB(A) (Draft printing, color); 46 dB(A) (Normal printing, color)

Automatic paper sensor

No

Borderless printing

Yes (up to 13 x 19 in, 330 x 483 mm)

Bottom margin (A4)

3.3 mm (duplex 16 mm)

Cable included

No, please purchase USB cable separately

Camera phone description

Support print from camera through cloud, wireless router and direct print.

Code name

Ebadi

Color(s) of printing supplies

Black, cyan, magenta, yellow

Compatible Network Operating Systems

Windows 8 (32bit & 64-bit), Windows 7 (32bit & 64-bit), Windows Vista (32bit & 64-bit), Windows XP (32bit) SP3 or greater, Windows 2003 Server (Standard Edition, Enterprise Edition) (32bit & 64-bit), Windows 2003 Server R2 (Standard Edition, Enterprise Edition) (32bit & 64-bit), Windows Small Business Server 2003 (32bit & 64-bit), Windows 2008 Server (Standard Edition, Enterprise Edition) (32bit & 64-bit), Windows Small Business Server 2008 (64-bit), Windows 2008 Server R2 (Standard Edition, Enterprise Edition) (64-bit), Windows Small Business Server 2011, Windows Server 2012, Mac OS X v10.6, OS X Lion, OS X Mountain Lion, Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Compatible Operating Systems

Windows 10 (32bit & 64-bit), Windows 8.1 (32bit & 64-bit), Windows 8 (32bit & 64-bit), Windows 7 (32bit & 64-bit), Windows Vista (32bit & 64-bit), Windows XP (32bit) SP3 or greater, Mac OS X v10.6, OS X Lion, OS X Mountain Lion, Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Connectivity, standard

1 USB 2.0; 1 Ethernet; 1 Wireless 802.11b/g/n

Control panel

4 ink cartridge lights, 4 buttons with lights (Resume, Wireless, ePrint & Power) and 2 button (Cancel & Configuration) and 1 network indicator light

Count of cartons per pallet layer

3

Count of layers in pallet

9

Country of origin

Made in China

Datasheet photo 1

Publication photos/Ebadi.jpg

Display

None

Driver updates

Latest printer driver is available on HP support Web site hp.com/support

Duplex printing

Automatic (optional)

Duty cycle (monthly, A4)

Up to 12,000 pages

Duty cycle (monthly, letter)

Up to 12,000 pages

Eco label

ENERGY STAR® qualified

Electromagnetic compatibility

FCC Title 47 CFR Part 15 Class B (USA), CE (European Union), ICES (Canada), VCCI (Japan), KC (Korea), BSMI (Taiwan)

Energy efficiency

EPEAT® Bronze; CECP

Energy star certified

No

Envelope Feeder

Yes, 30

Exifprint supported

No

Finished output handling

Sheet feed

First page out black (A4, ready)

As fast as 15 sec

First page out color (A4, ready)

As fast as 19 sec

Geographic availability

NA; AP; EMEA; LAR

HP auto wireless connect

Yes

HP ePrint capability

Yes

Image legal disclaimer

Product image may differ from actual product

Ink types

Pigment-based (black & color)

Input capacity

Up to 250 sheets

Jetdirect compatible

No

Left margin (A4)

3.3 mm

Legal disclaimer

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Mac compatible

Yes

Maximum dimensions (W x D x H)

23.0 x 27.9 x 7.5 in (trays extended full length)

Maximum dimensions (W x D x H)

585 x 708 x 189 mm (trays extended full length)

Maximum input capacity (10x15cm photos)

Up to 60 sheets

Maximum input capacity (4x6 photo)

Up to 60 sheets

Maximum input capacity (cards)

Up to 80 cards

Maximum Input Capacity (envelopes)

Up to 30 envelopes

Maximum input capacity (labels)

Up to 100 sheets

Maximum input capacity (photo paper)

Up to 60 sheets

Maximum input capacity (sheets)

Up to 250 sheets

Maximum Memory

16 MB (ROM); 128 MB (DDR RAM)

Maximum output capacity (cards)

Up to 35 cards

Maximum output capacity (envelopes)

Up to 10 envelopes

Maximum output capacity (labels)

Up to 40 sheets

Maximum output capacity (photo paper)

Up to 25 sheets

Maximum output capacity (sheets)

Up to 75 sheets

Maximum print area

330 x 1117.6 mm

Media size, tray 1

76.2 x 127 to 330 x 483 mm

Media sizes supported

A4, A6, B5 (JIS), 6 x 8 in, Executive, Index card 3 x 5 in, Index card 4 x 6 in, Index card 5 x 8 in, Index card A4, Index card Letter, 3 x 5 in, 4 x 6 in/10 x 15 cm, 5 x 7 in/13 x 18 cm, 8 x 10 in, 10 x 15 cm, L, Photo 2L, 8.5 x 13 in, Legal, Letter, Statement, Ofuku Hagaki, Hagaki Card 100 x 148 mm/Japanese Postcard, Envelope #10, Envelope A2, Envelope C5, Envelope C6, Envelope DL, Envelope Monarch, Card envelope 4.4 x 6 in, JIS Chou #3, JIS Chou #4, 11 x 14 in, 12 x 12 in, B4 (JIS), Tabloid, Super B, A3, A3+ 330 x 483 mm

Media sizes supported

A4, Letter, B5, Tabloid, A3

Media sizes supported, key

10 x 15 cm; A4; A3; Envelopes

Media sizes supported, key

4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes

Media sizes, custom

Tray 1: 3 x 5 to 13 x 19 in (custom media supported on Mac only)

Media sizes, custom

Tray 1: 76.2 x 127 to 330.2 x 482.6 mm (custom media supported on Mac only)

Media thickness

Photo/card: up to 11.5 mil; envelopes: up to 15.7 mil

Media type and capacity, duplex unit

Sheets: 250, photo: 60, envelopes: 30

Media type and capacity, tray 1

Sheets: 250, photo: 60, envelopes: 30

Media types

Paper (brochure, inkjet, plain), photo, envelopes, cards (index)

Media weight (tray 1)

60 to 250 g/m²

Media weight, recommended

16 to 28 lb, Bond

Media weight, recommended

60 to 105 g/m²

Media weight, supported

34 to 250 g/m²

Media weight, supported

9 to 66 lb, Bond

Memory

16 MB (ROM); 128 MB (DDR RAM)

Minimum dimensions (W x D x H)

23.0 x 14.5 x 7.5 in (trays closed)

Minimum dimensions (W x D x H)

585 x 419 x 189 mm (trays closed)

Minimum System Requirements

Windows 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD-ROM/DVD or Internet, USB. Windows Vista: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD-ROM/DVD or Internet, USB. Windows XP SP3 (32-bit only): Intel Pentium II, Celeron or 233 MHz compatible processor, 750 MB HD, Microsoft Internet Explorer 6, CD-ROM/DVD or Internet, USB. Mac OS X v10.6, OS X Lion, OS X Mountain Lion OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra; 1GB HD, CD-ROM/DVD-ROM or Internet, USB. Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Minimum System Requirements for Macintosh

OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra, OS v10.15 Catalina; 1GB HD, CD-ROM/DVD-ROM or Internet, USB

Mobile printing capability

HP ePrint; Apple AirPrint™

Mobile printing capability footnote number

[3]

Network capabilities

Yes, via built-in Ethernet; wireless 802.11b/g/n

Network protocols, supported

TCP/IP

Network ready

Standard (built-in Ethernet, WiFi 802.11b/g/n)

Non-Operating Humidity Range

5 to 90% RH non-condensing

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Number of users

1-3 Users

Operating humidity range

5 to 90% RH non-condensing

Operating system (supported note)

Not supporting: Windows 2000 (SP4), Windows XP Professional x64 (SP1)

Operating temperature range

41 to 104°F

Operating temperature range

5 to 40°C

Output capacity

Up to 75 sheets

Package dimensions (W x D x H)

27.0 x 19.7 x 10.6 in

Package dimensions (W x D x H)

687 x 500 x 270 mm

Package weight

12.7 kg

Package weight

27.9 lb

Page yield footnote

For information on cartridge page and photo yields, see hp.com/go/pageyield

Pallet dimensions

48 x 40 x 100 in

Pallet dimensions (W x D x H)

1219 x 1016 x 2430 mm

Pallet weight

359 kg

Pallet weight

790 lb

Paper handling

250-sheet input tray, 75-sheet output tray

Paper handling input, standard

250-sheet input tray

Paper handling output, standard

75-sheet output tray

Paper trays, maximum

1

Paper trays, standard

1

PictBridge description

Not supported

PictBridge supported

No

Ports

1 USB 2.0; 1 Ethernet; 1 WiFi 802.11b/g/n

Power

Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)

Power consumption

30.3 watts maximum, 25.4 (Active), 0.31 watts (Manual-Off), 1.92 watts (Standby), 1.04 watts (Sleep)

Power consumption (manual-off)

0.31 watts

Power consumption footnote number

[2]

Power consumption Note

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

Power supply type

External

Print colors

Yes

Print colors maximum

4

Print head nozzles

Color: 672; K: 1088

Print languages

HP PCL 3 GUI, HP PCL 3 Enhanced

Print quality black (best)

Up to 600 x 1200 dpi

Print quality color (best)

Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)

Print speed

Print speed up to 15 ppm (black) and 8 ppm (color)

Print speed (A4/letter) footnote number

[1]

Print speed black (draft, A4)

Up to 33 ppm

Print speed black (draft, letter)

Up to 33 ppm

Print speed black (ISO)

Up to 15 ppm

Print speed color (draft, A4)

Up to 26 ppm

Print speed color (draft, letter)

Up to 26 ppm

Print speed color (ISO)

Up to 8 ppm

Print speed footnote

Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims

Print technology

HP Thermal Inkjet

Print Technology

Ink

Printer smart software features

Orientation: Portrait/Landscape; Print on Both Sides: None/Flip on Long Edge/Flip on Short Edge; Page Order: Front to Back/Back to Front; Page Format: Pages per Sheet: 1, 2, 4, 6, 9, 16 (i.e. N-up printing)/Booklet/Draw Borders; Print in Grayscale: Off/High Quality Grayscale/Black Ink Only; Borderless Printing: Print with Border/Print Borderless; Output Quality: Draft/Normal/Best/Maximum dpi; HP Real Life Technologies: Off/On

Processor

ARM R4

Processor speed

500 MHz

Product logos

Energy Star 2.0; USB Hi-Speed; Works with Windows 7; Compatible with Windows 8; Ethernet; 4 individual inks

Quantity per pallet

27

Recommended Macintosh system requirements

Mac OS X v 10.6; OS X Li; OS X Mountain Lion, OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra, OS v10.15 Catalina; Intel Core Processor; 1GB HD, CD-ROM/DVD or Internet, USB

Recommended media weight (duplex)

60 to 180 g/m²

Recommended monthly page volume

200 to 800 pages

Recommended monthly page volume footnote number

[4]

Recommended monthly page volume note

HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Recommended operating humidity range

25 to 75% RH non-condensing

Recommended operating temperature range

15 to 32°C

Recommended operating temperature range

59 to 90°F

Replacement cartridges

HP 932 Black Officejet Ink Cartridge (~400 pages); HP 932XL Black Officejet Ink Cartridge (~1000 pages); HP 933 Cyan Officejet Ink Cartridge (~330 pages); HP 933 Magenta Officejet Ink Cartridge (~330 pages); HP 933 Yellow Officejet Inkjet Cartridge (~330 pages); HP 933 Cyan Officejet Ink Cartridge (~330 pages); HP 933XL Magenta Officejet Ink Cartridge (~825 pages); HP 933XL Yellow Officejet Inkjet Cartridge (~825 pages); [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies]

Right margin (A4)

3.3 mm

Safety

IEC 60950 compliant; Canada/USA cCSAus; EU LVD and EN 60950 compliant; NEMKO-GS approved; KC (Korea); BSMI (Taiwan); CE (European Union); Australia C-Tick

Service & support features

Online Web Support; Help Viewer

Service & support options

Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support

Services (Care Pack)

UQ206E - HP 2 Year Care Pack Business Priority Support with Next Business Day Exchange; UQ207E - HP 3 Year Care Pack Business Priority Support with Next Business Day Exchange; UQ219E - HP 4 Year Care Pack Business Priority Support with Next Business Day Exchange U6M50E - HP 2 Year Care Pack Business Priority Support with Onsite Exchange (US Only); U6M51E - HP 3 Year Care Pack Business Priority Support with Onsite Exchange (US Only); U6M52E - HP 4 Year Care Pack Business Priority Support with Onsite Exchange (US Only)

Software included

HP Printer Software, Bing Bar for HP (includes HP Smart Print), HP Officejet 7110 series Help, Product Improvement Study for HP Officejet 7110 series, HP Update, Shop for Supplies Online, HP Photo Creations

Standard input capacity (cards)

Up to 80 cards

Standard input capacity (envelopes)

Up to 30

Standard input capacity (legal)

Up to 250 sheets

Standard media sizes (duplex)

A4; Letter; B4; Tabloid; A3

Standard media sizes (duplex, imperial)

A4; Letter; B5; Tabloid; A3

Standard output capacity (cards)

Up to 35 cards

Standard output capacity (envelopes)

Up to 10 envelopes

Standard output capacity (labels)

Up to 40 sheets

Standard output capacity (legal)

Up to 75 sheets

Storage device and direct print support

Storage devices not supported

Storage temperature range

-40 to 140° F

Storage temperature range

-40 to 60° C

Sub-brand name

Officejet

SureSupply note

HP SureSupply alerts you when you should replace a print cartridge and helps you purchase locally or via the Internet. For more information, visit hp.com/learn/suresupply. Only available with original HP supplies; Internet access required.

SureSupply supported

Yes

System requirements, recommended

Windows 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD-ROM/DVD or Internet, USB. Windows Vista: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 2 GB HD, Microsoft Internet Explorer, CD-ROM/DVD or Internet, USB. Windows XP SP3 (32-bit only): Intel Pentium II, Celeron or 233 MHz compatible processor, 750 MB HD, Microsoft Internet Explorer 6, CD-ROM/DVD or Internet, USB. Mac OS X v10.6, OS X Lion, OS X Mountain Lion OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra; 1GB HD, CD-ROM/DVD-ROM or Internet, USB. Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Target user and print volume

For teams up to 3 users; Prints up to 800 pages/month

Tech spec footnote

[1]Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims

Tech spec footnote

[2]Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

Tech spec footnote

[3]HP ePrint requires an Internet connection to the printer and an Account Registration with HP Web Services. Print times may vary. For a list of supported documents and image types for HP ePrint, see hp.com/go/eprintcenter. AirPrint™ and the AirPrint Logo are trademarks of Apple® Inc., registered in the U.S. and other countries. AirPrint requires the printer be connected to the same network as your Apple device. Wireless performance is dependent upon physical environment and distance from the access point. For additional solutions, see hp.com/go/mobile-printing-solutions.

Tech spec footnote

[4]HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Technology logo, print 1

Publication logos/AMS_EnergyStar.jpg

Technology logo, print 2

Publication logos/Windows_7_Official.jpg

Technology logo, print 3

Publication logos/hi-speed usb.jpg

Technology logo, print 4

Publication logos/AMS_hp_eprint.jpg

Technology logo, print 5

Publication logos/individual ink.bmp

Technology logo, print 6

Publication logos/air print.bmp

Top key features

Two-sided printing

Top margin (A4)

3.3 mm (duplex 16 mm)

UNSPSC code

43212104

UPC number

(401) 889899663202; (407) 889899663196; (417) 889899663189; (A81) 887111438096; (AB0) 887111000538; (AB1) 887111000545; (AB2) 887111000552; (ABG) 887111000569; (ABJ) 887111000606; (ABT) 887111595362; (AC4) 887111000644; (AC8) 887111000651; (ACJ) 887111000576; (AK3) 887111000613; (AKH) 887111000637; (AKY) 887111000620; (B1H) 887111000439; (BEG) 887111000583; (BGM) 887111119926

Warranty

One-year limited hardware warranty, 24-hour, 7 days a week Web support, business hour phone support within warranty period

Weight

18.7 lb

Weight

8.5 kg

What's in the box

HP Officejet 7110 ePrinter; Print Head Assembly; HP 932 Black Officejet Ink Cartridge (~ 400 pages); HP 933 Cyan Officejet Ink Cartridge & HP 933 Magenta Officejet Ink Cartridge & HP 933 Yellow Officejet Ink Cartridge: composite yield (~330 pages); shopping card; power cord; CD-ROM; Setup poster, Getting started guide. [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutequipment]

Wireless capability

Yes, built-in Ethernet, Wi-Fi 802.11b/g/n

© Copyright 2013 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.